ELECTRODES (2.4mm)

BLADE ELECTRODE
Disposable: 150-110, Reusable: 152-110

BLADE ELECTRODE (CRV.)
Disposable: 150-112, Reusable: 152-112

NEEDLE ELECTRODE
Disposable: 150-120, Reusable: 152-120

NEEDLE ELECTRODE (CRV.)
Disposable: 150-122, Reusable: 152-122

BALL ELECTRODE (2mm)
Disposable: 150-130, Reusable: 152-130

BALL ELECTRODE CRV. (2mm)
Disposable: 150-132, Reusable: 152-132

BALL ELECTRODE (3mm)
Disposable 150-140, Reusable 152-140

BALL ELECTRODE CRV. (3mm)
Disposable: 150-142, Reusable: 152-142

BALL ELECTRODE (4mm)
Disposable: 150-150, Reusable: 152-150

BALL ELECTRODE CRV. (4mm)
Disposable: 150-152, Reusable: 152-152

BALL ELECTRODE (5mm)
Disposable: 150-160, Reusable: 152-160

BALL ELECTRODE CRV. (5mm)
Disposable: 150-162, Reusable: 152-162

BLADE ELECTRODE (Shaft 13.0cm)
Disposable: 150-115, Reusable: 152-115

NEEDLE ELECTRODE (Shaft 13.0cm)
Disposable: 150-125, Reusable: 152-125

BALL ELECTRODE 3mm (Shaft 13.0cm)
Disposable: 150-145, Reusable: 152-145

BALL ELECTRODE 5mm (Shaft 13.0cm)
Disposable: 150-165, Reusable: 152-165

CIRCLE LOOP ELECTRODE (4.0mm)
Reusable: 152-510

CIRCLE LOOP ELECTRODE (6.0mm)
Reusable: 152-520

CIRCLE LOOP ELECTRODE (8.0mm)
Reusable: 152-530

DIAMOND ELECTRODE
Reusable: 152-540

FINE NEEDLE ELECTRODE
Reusable: 152-550

TIP CLEANER 150-109

HOLSTER 150-108

ELECTRODES NON-STICK(2.4mm)

BLADE ELECTRODE Size (6cm)
Disposable 150-110-06 NS

BLADE ELECTRODE Size (6cm)
Disposable 151-110-06 NS

BLADE ELECTRODE Size (7cm)
Disposable 150-110-07 NS

BLADE ELECTRODE Size (7cm)
Disposable 151-110-07 NS

BLADE ELECTRODE Size (10cm)
Disposable 150-110-10 NS

BLADE ELECTRODE Size (10cm)
Disposable 151-110-10 NS

BLADE ELECTRODE Size (16cm)
Disposable 150-110-16 NS

BLADE ELECTRODE Size (16cm)
Disposable 151-110-16 NS

NEEDLE ELECTRODE Size (7cm)
Disposable 150-120-07 NS

NEEDLE ELECTRODE Size (7cm)
Disposable 151-120-07 NS

NEEDLE ELECTRODE Size (10cm)
Disposable 150-120-10 NS

NEEDLE ELECTRODE Size (10cm)
Disposable 151-120-10 NS

NEEDLE ELECTRODE Size (15cm)
Disposable 150-120-15 NS

NEEDLE ELECTRODE Size (15cm)
Disposable 151-120-15 NS

BALL ELECTRODE Size (5cm)
Disposable 151-160-05 NS

BALL ELECTRODE Size (13cm)
Disposable 151-160-13 NS

TUNGSTEN NEEDLE ELECTRODES

(2.4mm)

"**Tungsten needles** are widely used in a variety of surgical procedures like Plastic surgery, ENT surgery, Head & Neck surgery, Oral & Maxillofacial surgery. Tungsten has extremely high melting point (>3400°C) which helps maintain a sharpness compared to stainless steel tips that dull rapidly."

MICRO NEEDLE ELECTRODE Size (5cm)
(Reusable) 172-120-05

MICRO NEEDLE ELECTRODE ANG. Size (5cm)
(Reusable) 172-122-05

MICRO NEEDLE ELECTRODE Size (6cm)
(Reusable) 172-120-06

MICRO NEEDLE ELECTRODE ANG. Size (6cm)
(Reusable) 172-122-06

MICRO NEEDLE ELECTRODE Size (7cm)
(Reusable) 172-120-07

MICRO NEEDLE ELECTRODE ANG. Size (7cm)
(Reusable) 172-122-07

MICRO NEEDLE ELECTRODE Size (9cm)
(Reusable) 172-120-09

MICRO NEEDLE ELECTRODE ANG. Size (9cm)
(Reusable) 172-122-09

MICRO NEEDLE ELECTRODE Size (12cm)
(Reusable) 172-120-12

MICRO NEEDLE ELECTRODE ANG. Size (12cm)
(Reusable) 172-122-12

MICRO NEEDLE ELECTRODE Size (15cm)
(Reusable) 172-120-15

MICRO NEEDLE ELECTRODE ANG. Size (15cm)
(Reusable) 172-122-15

LOOP ELECTRODES (2.4mm)

Size	1.0X0.4 cm	1.0X0.5 cm	1.0X0.7 cm	1.0X0.8 cm	1.0X1.0 cm
Disposable	150-170-04	150-170-05	150-170-07	150-170-08	150-170-10
Reusable	152-170-04	152-170-05	152-170-07	152-170-08	152-170-10

Size	1.0X0.5 cm	1.0X0.7 cm	1.0X0.8 cm	1.0X1.0 cm	1.0X1.5 cm
Disposable	150-175-05	150-175-07	150-175-08	150-175-10	150-175-15
Reusable	152-175-05	152-175-07	152-175-08	152-175-10	152-175-15

Size	1.5X0.5 cm	1.5X0.7 cm	1.5X0.8 cm	1.5X1.0 cm	1.5X1.2 cm	1.5X1.5 cm
Disposable	150-180-05	150-180-07	150-180-08	150-180-10	150-180-12	150-180-15
Reusable	152-180-05	152-180-07	152-180-08	152-180-10	152-180-12	152-180-15

Size	2.0X0.8 cm	2.0X1.0 cm	2.0X1.2 cm	2.0X1.3 cm	2.0X1.5 cm	2.0X2.0 cm
Disposable	150-190-08	150-190-10	150-190-12	150-190-13	150-190-15	150-190-20
Reusable	152-190-08	152-190-10	152-190-12	152-190-13	152-190-15	152-190-20

LOOP ELECTRODES (2.4mm)

Size	1.0X0.4 cm	1.0X0.5 cm	1.0X0.7 cm	1.0X0.8 cm	1.0X1.0 cm
Disposable	155-170-04	155-170-05	155-170-07	155-170-08	155-170-10
Reusable	157-170-04	157-170-05	157-170-07	157-170-08	157-170-10

Size	1.0X0.5 cm	1.0X0.7 cm	1.0X0.8 cm	1.0X1.0 cm
Disposable	155-175-05	155-175-07	155-175-08	155-175-10
Reusable	157-175-05	157-175-07	157-175-08	157-175-10

Size	1.5X0.5 cm	1.5X0.7 cm	1.5X0.8 cm	1.5X1.0 cm	1.5X1.2 cm	1.5X1.5 cm
Disposable	155-180-05	155-180-07	155-180-08	155-180-10	155-180-12	155-180-15
Reusable	157-180-05	157-180-07	157-180-08	157-180-10	157-180-12	157-180-15

Size	2.0X0.8 cm	2.0X1.0 cm	2.0X1.2 cm	2.0X1.3 cm	2.0X1.5 cm	2.0X2.0 cm
Disposable	155-190-08	155-190-10	155-190-12	155-190-13	155-190-15	155-190-20
Reusable	157-190-08	157-190-10	157-190-12	157-190-13	157-190-15	157-190-20

CONIZATION ELECTRODES

Cat #	Description	Cone Size
150-195-08	CONIZATION ELECTRODE	(8x15 mm)
150-195-11	CONIZATION ELECTRODE	(11x15 mm)
150-195-13	CONIZATION ELECTRODE	(13x15 mm)
150-198-11	CONIZATION ELECTRODE	(11x21 mm)
150-198-14	CONIZATION ELECTRODE	(14x8 mm)

CONIZATION ELECTRODE
(Small) 150-195-08

CONIZATION ELECTRODE
(Medium) 150-195-11

CONIZATION ELECTRODE
(Large) 150-195-13

CONIZATION ELECTRODE
(Medium Extended) 150-198-11

CONIZATION ELECTRODE
(LARGE Shallow) 150-198-14

ELECTRODE EXTENDER Size (7cm)
(Reusable) 152-410-07

ELECTRODE EXTENDER Size (13cm)
(Reusable) 152-410-13

ELECTRODE EXTENDER Size (18cm)
(Reusable) 152-410-18

Cat #	Description	Size
152-410-07	ELECTRODE EXTENDER	7.0cm
152-410-13	ELECTRODE EXTENDER	13.0cm
152-410-15	ELECTRODE EXTENDER	15.0cm
152-410-18	ELECTRODE EXTENDER	18.0cm

ELECTRODES (4.0mm)

BLADE ELECTRODE
Reusable 162-110

BLADE ELECTRODE (CRV.)
Reusable 162-112

NEEDLE ELECTRODE
Reusable 162-120

NEEDLE ELECTRODE (CRV.)
Reusable 162-122

BALL ELECTRODE (2mm)
Reusable 162-130

BALL ELECTRODE (CRV.) (2mm)
Reusable 162-132

BALL ELECTRODE (3mm)
Reusable 162-140

BALL ELECTRODE (CRV.) (3mm)
Reusable 162-142

BALL ELECTRODE (4mm)
Reusable 162-150

BALL ELECTRODE (CRV.) (4mm)
Reusable 162-152

BALL ELECTRODE (5mm)
Reusable 162-160

BALL ELECTRODE (CRV.) (5mm)
Reusable 162-162

BLADE ELECTRODE (Shaft 13.0 cm)
Reusable 162-115

NEEDLE ELECTRODE (Shaft 13.0 cm)
Reusable 162-125

BALL ELECTRODE 3mm (Shaft 13.0 cm)
Reusable 162-145

BALL ELECTRODE 4mm (Shaft 13.0 cm)
Reusable 162-155

BALL ELECTRODE 5mm (Shaft 13.0 cm)
Reusable 162-165

ROUND LOOP ELECTRODE (7.0cm) 4.0mm
Reusable 162-510-04

ROUND LOOP ELECTRODE (7.0cm) 6.0mm
Reusable 162-510-06

ROUND LOOP ELECTRODE (7.0cm) 8.0mm
Reusable 162-510-08

ROUND LOOP ELECTRODE (7.0cm) 10.0mm
Reusable 162-510-10

PLATE ELECTRODE SMALL
Reusable 162-560

PLATE ELECTRODE LARGE
Reusable 162-570

LOOP ELECTRODES (4.0mm)

Size	1.0X0.4 cm	1.0X0.5 cm	1.0X0.7 cm	1.0X0.8 cm	1.0X1.0 cm
Reusable	162-170-04	162-170-05	162-170-07	162-170-08	162-170-10

Size	1.0X0.5 cm	1.0X0.7 cm	1.0X0.8 cm	1.0X1.0 cm	1.0X1.5 cm
Reusable	162-175-05	162-175-07	162-175-08	162-175-10	162-175-15

Size	1.5X0.5 cm	1.5X0.7 cm	1.5X0.8 cm	1.5X1.0 cm	1.5X1.2 cm	1.5X1.5 cm
Reusable	162-180-05	162-180-07	162-180-08	162-180-10	162-180-12	162-180-15

Size	2.0X0.8 cm	2.0X1.0 cm	2.0X1.2 cm	2.0X1.3 cm	2.0X1.5 cm	2.0X2.0 cm
Reusable	162-190-08	162-190-10	162-190-12	162-190-13	162-190-15	162-190-20

PATIENT RETURN PLATE



PATIENT RETURN PLATE REUSABLE
150-640 (5m cable)



PATIENT RETURN PLATE REUSABLE
150-650 (5m cable)



PATIENT RETURN CABLE
150-610 (5m cable)
150-612 (3m cable)



PATIENT RETURN CABLE
150-600 (5m cable)
150-602 (3m cable)

S.S Patient Return Plate (16x12 cm)
150-655

POLYPECTOMY SNARE
(SINGLE USE)
150-500

PATIENT RETURN PLATE
SILICONE

MONOPOLAR
150-660



BIPOLAR
150-670

ERBE
190-315

VALLEYLAB
190-305

SILICONE RETURN PLATE
150-690 (5m cable)

SILICONE PATIENT RETURN w/c (VALLEYLAB)
150-695 (5m cable)